Product Options



22.5mm (2.5mm+8mm/12mm) x 48" (1.2m)

Physical Data

PERFORMANCE CRITERIA	
Tensile Strength	
Flexibility 1/4" mandrel	
Thermal Conductivity	
Static Load Limit	F
Coefficient of Friction	
V.O.C. Compliant	
_Abrasion Resistance	Д
Pill Test	
Standard Vertical Deformation	
Surface Effect Slip Resistance	
Ball Rebound	
Force Reduction	
Rolling Load	
_Impact	
<u>Indentation</u>	

TEST	RESULT
_ASTM D 412	200 PSI min
<u> ASTM F 137</u>	Pass
_ASTM C 518	1.3 Btu-in/h-ft-F
ASTM F 970 @ 250PSI	0.025"
<u>ASTM D 2047</u>	> 0.8
<u> ASTM D 5116</u>	Yes
AST <u>M D 3389 / EN 6</u> 49	<lag, 1000="" cycles<="" td=""></lag,>
ASTM D 2859	Pass
_ASTM F 2772	1.6mm Pass
<u> ASTM F 2772</u>	92
_ASTM F 2772	100% Pass
_ASTM F 2772	40% Pass
EN1569	Pass
<u>EN1517</u>	<u>0.0mm</u>
EN1516	0.1mm

Can a floor sustain endless sets of power cleans and help your legs survive endless box jumps?




Stacked Performance Monster

is a 22.5mm triple durometer system designed for extreme strength and conditioning. This system features a 10.5mm Beast Roll field united to a 12mm ShockPad.



Built by Yes.



Applications





Strength Equipment



Light Weights



Moderate Weights







Functional Training



Extreme Weights

What does it take to be a floor?

Durable

☐ Sustainable

Affordable

Ease of Maintenance

☑ Slip Resistant

With a durable wear layer made from vulcanized EPDM rubber, this product resists the scuffing and marking that is common in strength and conditioning applications.



Can a floor do more? Yes.

This triple durometer system combines the durability and firm footing desired in strength training with the ergonomic demands of aggressive functional training in one surface.

